

TECHNICAL DATA

Fluke 80PK-3A Surface Probe



Key features

- Measurement range: 0 to 260 °C
- One year warranty

Product overview: Fluke 80PK-3A Surface Probe

Fluke temperature probes expand the functionality of Fluke thermometers. The 80PK-3A Type K Thermocouple Surface Probe is designed for measuring the temperature of flat or slightly convex surfaces, with an exposed junction to allow direct contact with the surface being measured. The probe can be used with any temperature-measuring instrument that is designed to accept type K thermocouples and has a miniature connector input.

Ordering information



Fluke 80PK 3A

Fluke. *Keeping your world up and running.®*

Fluke Corporation

PO Box 9090, Everett, WA 98206 U.S.A.

For more information call:

In the U.S.A. (800) 443-5853

In Europe/M-East/Africa

+31 (0)40 267 5100

In Canada (905) 890-7600

From other countries +1 (425) 446-5500

Representative office of Fluke South East Asia Pte Ltd

C/O Danaher Vietnam

Green Power Tower, 11th Floor Unit 2

35 Ton Duch Thang Street, District 1

Ho Chi Minh City

Vietnam

Tel: +84-8-2220-5371 (ext 103)

Email: info.asean@fluke.com

www.fluke.com/vn-vi

©2022 Fluke Corporation. Specifications subject to change without notice.

12/2022

Modification of this document is not permitted without written permission from Fluke Corporation.